MANI PLASTIC HO/4	**DESIGN**: WELLINGLUDWIK	**984**

Description: home-office chair with polished or painted aluminum 4-spoke base and polypropylene seat.

Use: indoor

KG 7,6 | KG 9,6 A / 8,6 D | m³ 0,32 A / 0,17 D | 1 A / 1 D | 1

80,5 | 45 | 48 | 52

END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
COMPONENTS	The **frame** is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL). The **shell** is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue. **Packaging** is made of corrugated double wave cardboard box and protective elements. It contains 4 pcs disassembled (4 shells + 4 frames) or 2 pcs assembled (2 shells + 2 frames).
REQUIREMENTS	**Questo articolo ha superato i test previsti dalle norme:** - EN 1728:2012 +AC:2013 resistenza a fatica del sedile-schienale, raggiungendo il livello L2 - estremo secondo tabella 1 della EN 16139:2013 **REACH**: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any d*amage that may result from the product misuse.*
ECOLOGY	**Harmful substances** This product is not toxic nor hazardous to human health, animals or environment. **Waste disposal** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool.

MANI CUSHION H0/4	**DESIGN**: WELLINGLUDWIK	**997**

Description: home-office chair with polished or painted aluminum 4-spoke base, polypropylene shell with fixed cushion.

Use: indoor

KG 8,3	KG 10,3 [A] 9,3 [D]	m³ 0,32 [A] 0,17 [D]	1 [A] 1 [D]	1

80,5	46	48	52	30	0,50	

END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
COMPONENTS	The **frame** is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL). The **shell** is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue. **Fixed cushion** is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. **Castors** are in black plastic material, self-breaking. **Packaging** is made of corrugated double wave cardboard box and protective elements. It contains 2 pcs disassembled (2 shells + 2 frames) or 2 pcs assembled (2 shells + 2 frames)
REQUIREMENTS	Fabrics, simil-leather and leather as “Materials” folder, downloadable from website. **REACH**: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any d*amage that may result from the product misuse.*
ECOLOGY	**Harmful substances** This product is not toxic nor hazardous to human health, animals or environment. **Waste disposal** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool.

MANI DUO HO/4	**DESIGN**: WELLINGLUDWIK	**991**

Description: home-office chair with polished or painted aluminum 4-spoke base, polypropylene shell and padded countershell.

Use: indoor

KG	m³			
8,7	10,7 [A] 9,7 [D]	0,32 [A] 0,17 [D]	1 [A] 1 [D]	1

80,5	46	48	52		55	0,80	

END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
COMPONENTS	The **frame** is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL). The **shell** is made of polypropylene (PP), injection-moulded, available with the following colours: white, black, dove, graphite, olive, raspberry and powder blue. The **front shell** is composed of a plastic shell, padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam **Packaging** is made of corrugated double wave cardboard box and protective elements. It contains 1 pc disassembled (1 shells + 1 frames) or 1 pc assembled (1 shells + 1 frames).
REQUIREMENTS	Fabrics, simil-leather and leather as “Materials” folder, downloadable from website. **REACH**: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any d*amage that may result from the product misuse.*
ECOLOGY	**Harmful substances** This product is not toxic nor hazardous to human health, animals or environment. **Waste disposal** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool.

MANI FABRIC HO/4	**DESIGN**: WELLINGLUDWIK	**984**

Description: home-office chair with polished or painted aluminum 4-spoke base and and padded polypropylene seat.

Use: indoor

KG	8,5	KG	10,5 [A] 9,5 [D]	m³	0,32 [A] 0,17 [D]		1 [A] 1 [D]		1

	80,5		46		48		52		

	110		1,60		

END USE	Seating suitable to furnish different areas: public spaces, libraries, conference rooms, waiting rooms but also perfect to fit into residential spaces.
COMPONENTS	The **frame** is composed of a swivel die-cast alluminium trestle. The trestle is available with the following finishing: polished aluminium or powder coated with polyester varnish black (RAL9005) and traffic white (RAL9016). Seat and base fixing support in sheet metal. (The finishings must be considered as simil-RAL). The **shell** is made of polypropylene (PP), padded with cfc-free polyurethane foam and upholstered with fabric chosen by customer. The upholstery on our chairs is made of flame-retardant fabric and flame-resistant foam. The **glide plugs** are made of plastic material black coloured or transparent. On request glide plugs with felted surface, tilt glide plugs with plastic slide base or felted slide base available. **Packaging** is made of corrugated double wave cardboard box and protective elements. It contains 1pc disassembled (1 shell + 1 frame) or 1 pc assembled (1 shell + 1 frame).
REQUIREMENTS	Fabrics, simil-leather and leather as “Materials” folder, downloadable from website. **REACH**: is the European Union regulation that addresses the production and use of chemical substances. This product contains only substances compliant with the abovementioned regulation and does not contain any “substance of very high concern” (SVHC).
ORDINARY CLEANING AND MAINTENANCE	Any spills should be wiped up immediately with a clean, dry rag. Use neutral detergents only. Avoid cleaning with abrasive sponges.
EXTRAORDINARY MAINTENANCE	Supplier suggested personnel only.
PRECAUTIONS FOR USE	The chair must be used with its four castors resting on the floor at all times. Do not sit on the back. Do not stand on the chair. Check periodically that the screws are correctly tightened. Be careful not to sit off the seating centre. Please keep away from any heating source. The product could change the colour and shade, if exposed to direct sunlight. In case of children use, please consider the supervision of an adult. Arrmet srl is not liable for any d*amage that may result from the product misuse.*
ECOLOGY	**Harmful substances** This product is not toxic nor hazardous to human health, animals or environment. **Waste disposal** Dispose this product responsibly after use at the end of its life. Please utilise the waste collection and recycling service operated by your local authority, or take it to a suitable recycling point. This products can be easily disassembled, facilitating disposal.
WARRANTY	24 + 2 months as referred to in 99/44/CE European directive.

This product datasheet comply with Italian regulation (D.Lgs 6th September 2005, n. 206 “Codice del Consumo”), on the subject of consumer information and implementation tool.

SYMBOLS

VOLUME (m^3)
VOLUME

PESO NETTO (kg)
NET WEIGHT

PESO COLLO (kg)
BOX WEIGHT

PEZZI PER COLLO
PIECES PER BOX

NUMERO COLLI
BOXES NUMBER

IMPILABILITÀ (max)
STACKABILITY

ADATTO PER ESTERNO
SUITABLE FOR OUTDOOR

CONSUMO TESSUTO (cm /pz H140)
NEEDED FABRIC (cm/pc H140)

CONSUMO PELLE (m^2)
NEEDED LEATHER

NON IMPILABILE
NOT STACKABLE

NON ADATTO PER ESTERNO
NOT SUITABLE FOR OUTDOOR

ALTEZZA (cm)
HEIGHT

SEDUTA (cm)
SEAT

LARGHEZZA (cm)
WIDHT

PROFONDITÀ (cm)
DEPHT

BRACCIOLO (cm)
ARMREST

ALTEZZA TAVOLO (cm)
TABLE HEIGHT

LARGHEZZA (cm)
WIDTH

PROFONDITÀ (cm)
DEPTH

DIAMETRO (cm)
DIAMETER

A = ASSEMBLATO / *ASSEMBLED*
D = DISASSEMBLATO / *DISASSEMBLED*

VI INVITIAMO A LEGGERE LE NOTE, CONTENGONO INFORMAZIONI IMPORTANTI

PLEASE READ CAREFULLY THE NOTES, WHICH CONTAIN IMPORTANT INFORMATION