

Report ID: 353504
Date of sample receipt: 06/07/23
Date of issue: 03/08/23

ARRMET S.R.L.
VIA A. VOLTA 8
33044 MANZANO (UD)
ITALIA

Sample name: Fondina st

SAMPLE N° 353504

Overall dimensions: 450 x 500 x 970 (h) mm

List of test reports:

1. Leg forward static load test EN 1728:2012+AC:2013
2. Leg sideways static load test EN 1728:2012+AC:2013



This document is part of a PDF file digitally signed by Franco Bulian.

*The managing director
Dr. Franco Bulian*
luc uie

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

SAMPLE N° 353504

Date of issue: 03/08/23
Sample weight: Not determined
Sample name: Fondina st



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

353504 / 1

Revision: 0
Date of sample receipt: 06/07/23
Date of test: 01/08/23
Date of issue: 03/08/23
Sample name: Fondina st



ARRMET S.R.L.
VIA A. VOLTA 8
33044 MANZANO (UD)
ITALIA

Leg forward static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
380	1.800	10	No defects

Note:

According to EN 1728:2012+AC:2013, horizontal force has been reduced from 620 N to 380 N, to avoid tipping.

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

353504 / 2

Revision: 0
Date of sample receipt: 06/07/23
Date of test: 01/08/23
Date of issue: 03/08/23
Sample name: Fondina st



ARRMET S.R.L.
VIA A. VOLTA 8
33044 MANZANO (UD)
ITALIA

Leg sideways static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
370	1.800	10	No defects

Note:

According to EN 1728:2012+AC:2013, horizontal force has been reduced from 760 N to 370 N, to avoid tipping.

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian.

*The managing director
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.